


Rapport Report

Arnarnes, Arctic Sea Farm B-bottom survey, September 2021 (pre study)





Akvaplan-niva AS: APN 63465.B01

Akvaplan-niva AS Rådgivning og forskning innen miljø og akvakultur Org.nr: NO 937 375 158 MVA Akralind 4, 201 Kópavogi www.akvaplan.niva.no



Information client										
Title	Arnarnes, Arctic Sea Far	m. B-bottom survey (pre	study), September 2021							
Report number	APN-63465.B01	PN-63465.B01								
Site name	Arnarnes	Coordinates site	66°06,585N 023°00,041V							
County	Ísafjarðarsýsla	Municipality	Ísafjarðarbær							
MTB-or estimated max biomass	5.500 tonnes	Site manager/contact	Steinunn Guðný Einarsdóttir							
Client name	Arctic Sea Farm									

Biomass/production/status at date of survey								
Biomass at date of survey	0 ton	Feed	use	0				
Fish type	Salmon	Amo	unt produced					
Type/time of survey	Mark with X		Comments					
At maximal biomass see kap 7.9								
A follow up survey								
Half maximal biomass								
Survey prior to putting out smolt								
A pre-survey new site	\boxtimes							
Other								
Last fallowing period:								

Results from B-survey according to NS 9410:2016 (main results)								
Parameters and indexes	3	Parameters and site sta	atus					
Gr. II. pH/Eh	0,00	Gr. II. pH/Eh	1					
Gr. III. Sensory	0,35	Gr. III. Sensory	1					
GR. II + III	0,18	GR. II+ III	1					
Date field work	05.11.21							
Site status (NS 941	Date field work 04.08 2021 Date report Site status (NS 9410:2016):							

Report writing and project leader	Arnþór Gústavsson	Signature	Arnbor Gistaveson
Quality control	Snorri Gunnarsson	Signature	Inoni Cumanon

© 19.05 2019 Akvaplan-niva AS. Rapporten kan kun kopieres i sin helhet. Kopiering av deler av rapporten (tekstutsnitt, figurer, tabeller, konklusjoner, osv.) eller gjengivelse på annen måte, er kun tillatt etter skriftlig samtykke fra Akvaplan-niva AS.

Table of contents

PREFACE	2
1 INTRODUCTION	3
2 METHODS	4
2.1 Field equipment	4
3 SITE DESCRIPTION AND BOTTOM TOPOGRAPHY	5
3.1 Info site operation	5
4 RESULTS	7
5 CONCLUSION	8
6 REFERENCES	9
7 APPENDIX:	10
7.1 Sheet (B.1 og B.2) NS 9410:2016	
7.3 Bottom topography and 3D view	

Preface

The survey is carried out according to guidelines in NS 9410:2016 which includes evaluation of sediment, faunal investigation and bottom topography. The environmental survey is regulated by § 35 in the Norwegian «akvakulturdriftsforskriften. The survey also fulfills the requirements regarding bottom surveys in the standard ISO 12878.

The primary objective of a B-survey is to fulfil the requirements regarding bottom survey in the local impact zone at fallow period as they are defined in NS9410:2016. Current survey is a presurvey, undertaken before any operation or fish has been transferred to the site. As a pre-survey type B, a total of 10 sampling stations were sampled within the planned mooring lines of the fish farm. The estimated max biomass for the first generation of salmon, farmed at the Arnarnes site, is 5.500 ton.

The following have participated in the survey:

Arnþór Gústavsson	Akvaplan-niva AS	Prosjektleder.
Arnþór Gústavsson	Akvaplan-niva AS	Fieldwork and Report. Charts (Olex).
		Charts (Olex).
Snorri Gunnarsson	Akvaplan-niva AS	Quality assurance

The sampling at Arnarnes was done 04.08 2021.

Accredited survey:

The following parts of the survey are done in accordance with accreditation methods:

Sampling and treatment of sediment samples, analysis of samples and evaluations of the results. It should be pointed out that as Icelandic officials have not set standards regarding different parameters based on samplings at Icelandic conditions so the site characters in this report should be interpreted with that disclaimer in mind.



Akvaplan-niva AS er akkreditert av Norsk Akkreditering for prøvetaking og faglig vurderinger og fortolkninger, akkrediteringsnummer TEST 079.

Akkrediteringen er iht. NS-EN ISO/IEC 17025

Akkrediteringen omfatter bla. NS 9410, NS-EN ISO 5667-19 og NS-EN ISO 16665.

Akvaplan-niva AS thanks Arctic Sea Farm and their personnel for the cooperation during the conductance of this site survey.

Kópavogi 5. November 2021

Arnþór Gústavsson Project manager

1 Introduction

The sampling date for the present site survey was 04.08 2021 and done by Akvaplan-niva AS contracted by Arctic Sea Farm in relation to the company's fish farming activity at the site Arnarnes in Ísafjarðardjúp, Ísafjarðarbær municipality.

The objective of the B-survey is to document the environmental condition of the local impact zone of the fish farm according to NS 9410:2016 (and ISO 12878) which includes condition of the seabed, faunal evaluation and bottom topography registration.

The survey gives an estimate and evaluation of the site condition regarding organic load and impact assessment of the site from any previous activity.

Figure 1 shows map of the fjord system of southern part of Vestfirðir where the site Arnarnes is located.




Figure 1. An overview map with the Arnarnes site market by its name with a red cross.

2 Methods

Environmental monitoring of the impact from the fish farming activities on the seabed is a standardised system. All fish farming sites in the sea are to be regularly assessed. The methods for monitoring in Iceland, are based on description in the ISO 12878 standard and methodology described in the NS 9410:2016 is followed. The Icelandic Environmental agency (Umhverfisstofnun) can also set forward specific requirements regarding frequency of samplings for different fish farming sites that can overrule the requirements in the abovementioned standards.

The B-survey is a trend study of the benthic conditions at, or in proximity, to the fish farming site (local impact zone). Sediment is collected by use of grab (min 250 cm²). Each grab sample is investigated with regard to three observation types of benthic characters; faunal parameters, chemical parameters (pH and redox potential) and a sensory evaluation (gas bubbles, smell, texture, colour and the thickness of the precipitated slam layer in the sediment. The different benthic parameters are given a character on the scale from 1 to 4 (see Table 1), according to the scale of the impact on the benthic conditions from organic load, see criteria in table 1 and it is the weighted average for all the sampling stations that gives the sites condition. Current survey is a pre-survey, undertaken before any operation or fish has been transferred to the site. As a pre-survey type B, a total of 10 sampling stations were sampled within the planned mooring lines of the fish farm.

Table 1. Frequency of category B-research for the location of the farm based on state of the defined farming area.

Site condition at the time of sampling	Sampling frequency for B-surveys (NS 9410:2016)
1-very good	At next max biomass
2-good	Prior to putting next generation into sea and again at next max biomass.
	Prior to putting next generation into sea. Based on the site condition prior to putting next generation into sea:
3-bad	 Condition 1 – next site survey at next max biomass Condition 2 – next site survey at next 50% max biomass and at max biomass Condition 3 – next site survey at next 50% max biomass and at max biomass. Some conditions should apply for farming of next generation at the site
	If any of the samples result in character 4 it is a sign of overload.
4-very bad	Overload

2.1 Field equipment

The following field equipment was used during the site survey:

Grabb: Van Veen grabb (0,1 m²) Sieve 1 mm: Akvaplan-niva

pH meter: Electrode, YSI Professional Plus Redox-meter: Electrode, YSI Professional Plus Position determination—Garmin GPS mapping tool.

Digital camera

3 Site description and bottom topography

3.1 Info site operation

The Arnarnes site is in Ísafjarðardjúp, approximately 1nm off the cost of Arnarnes peninsula, at the mouth of Skutulsfjörður. Mooring and cages have not been installed. Plans include a 2 x 6 or a 6 + 6 installation, in north- by northeast direction from land (030°). The depth underneath planned cages range from about 52 - 71 m.

As this is a pre-survey, no previous generation has been farmed the site. Production licenses will be issued for Arnarnes along with 2 other sites in Ísafjarðardjúp. These three sites will be put in operation stepwise from 2022 - 2024, plans assume that first smolt transfer to Arnarnes will be spring 2024.

3.2 Dispersing current

Measurement of dispersing current was done at the site in April – May 2021 measurements at 49 m depth (Gustavsson, 2021). Dominating current at 49 m is in direction south by south-east (165 degrees) with a small counter current in opposite direction (Figure 2). Average current speed is measured to be 5.7 cm/s. Highest current speed is measured to be 31.3 cm/s and 4.2 % of the measurements are < 1 cm/s.

3.3 Position of sampling stations

Position of the 10 stations in the survey is given in Figure 2 and Table 2. Positioning of the stations was chosen based on guidance and criteria described in NS 9410:2016 and spread around the periphery of the cages (as cage setup is planned). At the site the typical depth in the local impact zone is in the range from 48 - 72 m, with an increasing depth on northern part of the mooring frame. The placement of sampling stations was chosen to give a good picture of the condition of the whole local impact zone. It is important to evaluate the status in both the deeper and shallower parts of the local impact zone of the fish farm. The sampling stations had a depth varying from 48 to 71 m. The placement of the sampling stations is regarded to be in accordance with the descriptions for survey of local impact zone given in NS 9410:2016.




Figure 2. Chart showing Arnarnes site. Sampling stations st. 1-10 are marked with color codes that describe the group II and III condition according to NS 9410:2016, chapter 7.11. Color codes: Blue = very good condition, green = good condition, yellow = bad condition, red = very bad condition.

Table 2. Placement and depth of the sampling stations in the B-survey.

Station number	North	West	Depth (m)
St 1	66°06,600	23°00,406	52
St 2	66°06,618	23°00,232	59
St 3	66°06,650	23°00,078	65
St 4	66°06,670	22°59,919	69
St 5	66°06,687	22°59,784	71
St 6	66°06,589	22°59,717	68
St 7	66°06,576	22°59,828	67
St 8	66°06,556	22°59,991	63
St 9	66°06,533	23°00,170	57
St 10	66°06,508	23°00,343	48

4 Results

Results for the different parameters are given in Table 3. The overall site condition is 1 «very good». The status for group II (pH/Eh) was 1 «very good», status group III parameters (sensory) was 1 «very good» and average group II + III parameters is status 1 «very good». A complete filled sampling sheet with calculations for each parameter is attached in appendix.

Table 3. Results from the classifications of the local impact zone of the fish farm.

Parameter	Condition
Group II - parameters (pH/Eh)	1
Group III – parameters, (sensory)	1
Group II + III – parameters (mean value)	1
Site condition	1

There were collected valid sediment samples at all the ten sampling stations. This indicates that in general there is soft bottom in the local impact zone. The sediment type consisted mainly of clay and silt at greater depths while sand and gravel were more prominent at shallower depths. This indicates harder bottom type closer to shore, at shallower depth.

For the group II parameters (pH/Eh), all stations had conditions 1 «very good». For sensory parameters (group III) all ten stations had condition 1 «very good», see Table 1. For combined parameters II and III (pH/redox and sensory) all ten stations received status 1 «very good», see Figure 2. Animals where present in all the ten samples, polychaetes and molluscs were most prominent.

5 Conclusion

Current pre-survey is the first B survey for Arnarnes site, carried out along with a C survey. Bottom type can be described as partly muddy and partly sandy. Bottom at sampling station at deeper end of the site (further north) are mostly clay while sand and gravel are prominent on shallow water. Current pre-study indicated good condition of the site and overall site status of 1 and no obvious traces of organic load in the area. Redox potential was positive at all ten sampling stations

Based on the criteria given in NS 9410:2016 the fish farming site has been assigned a site condition 1 «very good» at the date of sampling. A total of 10 grabs were taken with Van Veen grab (0,1 m²), placed around the planned 12 cages at the Arnarnes site.

For parameters II and III and III combined (pH/redox and sensory) all stations had status 1 «very good». Animals were present in all samples and no indications of substantial organic load at any of the sampling stations.

Results indicate good natural conditions of the site without impact from previous operations or outside pollutants.

The site is assigned a condition factor 1 "very good" according to calculations based on methodology described in NS 9410:2016 and sample sheet Table B.1 and B.2 (se chapter 7 Appendix).

6 References

Forskrift om drift av akvakulturanlegg (akvakulturdriftsforskriften) §§ 35 og 36.

Gústavsson, A. 2021. Arctic Fish. Arnarnes, Sandeyri og Kirkjusund dreifistraumur. Dispercing current measurement. 49 meters depth.

Akvaplan-niva AS project nr. 63085.

ISO 5667-19:2004. Guidance on sampling of marine sediments.

ISO 12878:2012. Environmental monitoring of the impacts from marine finfish farms on soft bottom.

Norsk Standard NS 9410:2016. Miljøovervåking av bunnpåvirkning fra marine akvakulturanlegg.

www.fiskeridir.no


7 Appendix:


7.1 Sheet (B.1 og B.2) NS 9410:2016

	Sample	scheme B.1												
		Company:		Are	ctic Sea F	arm		Date:				4.8.20	121	
		Site:			Arnarnes	<u> </u>		Site no.:						
	F	ieldworker:			AGU									
Gr	Parameter	Point				Sample r	um her	J					Index	,
<u> </u>			1	2	3	4	5	6	7	8	9	10	S%	H%
	Bottom typ	e: S (soft) or H (hard)	S	S	S	S	S	S	S	S	S	S	100	0
1	Animals >	Yes (0) No (1)	0	0	0	0	0	0	0	0	0	0	1	
	1mm							<u> </u>	•		_			
п	pН	value	7,8	7,7	7,6	7,9	7,7	7,7	7,8	7,7	7,6	7,6	1	
		ORP	91	91	93	96	99	93	30	70	78	83		
	Eh (mV)	plus ref. value	291	291	293	296	299	293	230	270	278	283		
	pH/Eh	fromfigure	0	0	0	0	0	0	0	0	0	0	0,	00
		Status station	1	1 Buffer	1	1	1	1	1	1 Sediment	1	1		
	,	Status group II	1	temp		С	Sea temp		С	temp		С		
		pH sea	ORP sea		mV	Eh sea		mV	Reference	electrode	200	mV		
Ш	Gas bubbles	Yes (4) No (0)	0	0	0	0	0	0	0	0	0	0		
	Colour	Light/grey (0)	0	0	0	0	0	0	0	0	0	0	-	
		Brow n/black (2)											-	
		None (0)	0	0	0	0	0	0	0	0	0	0	-	
	Smell	Light (2)											-	
		Strong (4)											-	
		Solid (0)	0	0	0	0	0	0	0	0	0	0		
	Consistency	Soft (2)											-	
		Aqueous (4)											-	
	Grab - volume	v < 1/4 (0)											-	
	(v)	1/4 < v < 3/4 (1)	1	1							1	1		
		v > 3/4 (2)			2	2	2	2	2	2			-	
	Thickness of	t < 2 cm (0)	0	0	0	0	0	0	0	0	0	0	-	
	sludge (t)	2 < t < 8 cm (1)											-	
		t > 8 cm (2)	4.0	4.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0		
		Sum Corrected ('*0,22)	1,0 0,2	1,0 0,2	2,0 0,4	2,0 0,4	2,0 0,4	2,0 0,4	2,0 0,4	2,0 0,4	1,0 0,2	1,0 0,2	0,	35
		Status station	1	1	1	1	1	1	1	1	1	1		
		Status group III		1	l									
		Average group II & III		0,1	0,2	0,2	0,2	0,2	0,2	0,2	0,1	0,1	0,	18
		Status station Status group II & III	1	<u>1</u>	1	1	1	1	1	1	1	1		
					1									
		pH/Eh Corr.sum												
		Index	Status											
		Average												
		< 1,1 1,1 - <2,1	2											
		2,1 - <3,1	3											
		≥3,1	4	l							Sta	atus site:		1
			1											
	Grabb ID	K-3												
	pH / Eh ID	YSi professional plus										page 1 o	f 2 pag	jes

Sample Scheme B.2											
Company:		Arctic Sea Farm					Date:		4.8.2021		
Si	te:		Arna	rnes			Site no.: 0				
Fieldw	orker:		A	GU							
Sample number		1	2	3	4	5	6	7	8	9	10
Depth (m)		52	59	65	69	71	68	67	63	57	48
Number of trials		2	2	1	1	1	1	1	2	1	2
Gas bubbles (in sa	mple)	no	no	no	no	no	no	no	no	no	no
	Clay	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
	Silt			Х	Х	Х	Х	Х	Х	Х	Х
Sediment type	Sand										
	Gravel	Х	Х								
	Shellsand	Х	Х	Х	Х					Х	Х
Reef											
Rocky bottom (cobbles, boulders)											
Echinodermata, count				2	2	1			1		
Crustaceans, count			1					1			
Molluscs, count		6	6	8	10	4	7	11	7	2	2
Polychaetes, count		20+	20+	30+	40+	40+	30+	30+	20+	20+	10+
Other animals, cou	nt										
Beggiatoa											
Feed											
Faeces											
Comments											
Grab Signature fieldwor	ker:	Area	[m²]				Gra	b ID		K-3	
orginatar o field wor										page 2 c	of 2 pages
											•

7.2 Pictures of samples at Arnarnes





7.3 Bottom topography and 3D view




Figure 3. Showing bottom topography 3D at Arnarnes with each sampling station according to info in Figure 1 and Table 2.